

Modul 1,0

Objednací číslo	Modul	Počet zubů	B*	dk	do	E
OK1072	1	72	12	74	72	15
OK1075	1	75	12	77	75	15
OK1076	1	76	12	78	76	15
OK1080	1	80	12	82	80	15
OK1085	1	85	12	87	85	15
OK1090	1	90	12	92	90	15
OK1095	1	95	12	97	95	15
OK10100	1	100	12	102	100	15
OK10110	1	110	12	112	110	15
OK10114	1	114	12	116	114	15
OK10120	1	120	12	122	120	15
OK10127	1	127	12	129	127	15

Modul 1,5

Objednací číslo	Modul	Počet zubů	B*	dk	do	E
OK1572	1,5	72	16	111,0	108,0	17
OK1575	1,5	75	16	115,5	112,5	17
OK1576	1,5	76	16	117,0	114,0	17
OK1580	1,5	80	16	123,0	120,0	17
OK1585	1,5	85	16	130,5	127,5	17
OK1590	1,5	90	16	138,0	135,0	17
OK1595	1,5	95	16	145,5	142,5	17
OK15100	1,5	100	16	153,0	150,0	17
OK15110	1,5	110	16	168,0	165,0	17
OK15114	1,5	114	16	174,0	171,0	17
OK15120	1,5	120	16	183,0	180,0	17
OK15127	1,5	127	16	193,5	190,5	17


Modul 2.0

Objednací číslo	Modul	Počet zubů	B*	dk	do	E
OK2072	2	72	16	148	144	20
OK2075	2	75	20	154	150	20
OK2076	2	76	20	156	152	20
OK2080	2	80	20	164	160	20
OK2085	2	85	20	174	170	20
OK2090	2	90	20	184	180	20
OK2095	2	95	20	194	190	20
OK20100	2	100	20	204	200	20
OK20110	2	110	20	224	220	20
OK20114	2	114	20	232	228	20
OK20120	2	120	20	244	240	20
OK20127	2	127	20	258	254	20

* Hodnoty se mohou lišit.

Čelní ozubená kola

Bez náboje | Přímé ozubení | Úhel záběru 20° | Materiál ocel C45E




Modul 2,5

Objednací číslo	Modul	Počet zubů	B*	dk	do	E
OK2565	2,5	65	20	167,5	162,5	25
OK2570	2,5	70	20	180,0	175,0	25
OK2572	2,5	72	20	185,0	180,0	25
OK2575	2,5	75	20	192,5	187,5	25
OK2576	2,5	76	20	195,0	190,0	25
OK2580	2,5	80	25	205,0	200,0	25
OK2585	2,5	85	25	217,5	212,5	25
OK2590	2,5	90	25	230,0	225,0	25
OK2595	2,5	95	25	242,5	237,5	25
OK25100	2,5	100	25	255,0	250,0	25
OK25110	2,5	110	25	280,0	275,0	25
OK25114	2,5	114	25	290,0	285,0	25
OK25120	2,5	120	25	305,0	300,0	25
OK25127	2,5	127	25	322,5	317,5	25

Modul 3,0

Objednací číslo	Modul	Počet zubů	B*	dk	do	E
OK3050	3	50	25	156	150	30
OK3052	3	52	25	162	156	30
OK3055	3	55	25	171	165	30
OK3057	3	57	25	177	171	30
OK3060	3	60	25	186	180	30
OK3065	3	65	25	201	195	30
OK3070	3	70	25	216	210	30
OK3072	3	72	25	222	216	30
OK3075	3	75	25	231	225	30
OK3076	3	76	25	234	228	30
OK3080	3	80	25	246	240	30
OK3085	3	85	25	261	255	30
OK3090	3	90	25	276	270	30
OK3095	3	95	25	291	285	30
OK30100	3	100	25	306	300	30
OK30110	3	110	25	336	330	30
OK30114	3	114	30	348	342	30
OK30120	3	120	30	366	360	30
OK30127	3	127	30	387	381	30

* Hodnoty se mohou lišit.



Čelní ozubená kola

Bez náboje | Úhel záběru 20°

Materiál ocel C45E

Modul 4,0

Objednáací číslo	Modul	Počet zubů	B*	dk	do	E
OK4038	4	38	25	160	152	40
OK4040	4	40	25	168	160	40
OK4045	4	45	25	188	180	40
OK4048	4	48	25	200	192	40
OK4050	4	50	25	208	200	40
OK4052	4	52	25	216	208	40
OK4055	4	55	25	228	220	40
OK4057	4	57	25	236	228	40
OK4060	4	60	25	248	240	40
OK4065	4	65	25	268	260	40
OK4070	4	70	25	288	280	40
OK4075	4	75	25	308	300	40
OK4076	4	76	25	312	304	40
OK4080	4	80	25	328	320	40
OK4085	4	85	25	348	340	40
OK4090	4	90	25	368	360	40
OK4095	4	95	25	388	380	40
OK40100	4	100	25	408	400	40
OK40110	4	110	25	448	440	40
OK40114	4	114	25	464	456	40

Modul 5,0

Objednáací číslo	Modul	Počet zubů	B*	dk	do	E
OK5032	5	32	25	170	160	50
OK5035	5	35	25	185	175	50
OK5038	5	38	30	200	190	50
OK5040	5	40	30	210	200	50
OK5045	5	45	30	235	225	50
OK5048	5	48	30	250	240	50
OK5050	5	50	30	260	250	50
OK5052	5	52	30	270	260	50
OK5055	5	55	30	285	275	50
OK5057	5	57	30	295	285	50
OK5060	5	60	30	310	300	50
OK5065	5	65	30	335	325	50
OK5070	5	70	30	360	350	50
OK5075	5	75	30	385	375	50
OK5076	5	76	30	390	380	50
OK5080	5	80	30	410	400	50
OK5085	5	85	30	435	425	50
OK5090	5	90	30	460	450	50
OK5095	5	95	30	485	475	50
OK50100	5	100	30	510	500	50
OK50110	5	110	30	560	550	50
OK50114	5	114	30	580	570	50

Modul 6,0

Objednáací číslo	Modul	Počet zubů	B*	dk	do	E
OK6028	6	28	25	180	168	60
OK6030	6	30	25	192	180	60
OK6032	6	32	25	204	192	60
OK6035	6	35	25	222	210	60
OK6038	6	38	25	240	228	60
OK6040	6	40	25	252	240	60

* Hodnoty se mohou lišit.